



Phebra Pty Ltd

Chemwatch: 4750-17 Version No: 2.1.1.1 Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 1

Issue Date: 27/06/2017 Print Date: 02/03/2018 S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| Product name | Potassium Chloride, 2.23g in 10mL, Concentrated Injection | |
|---|---|--|
| Synonyms | Not Available | |
| Other means of identification | Not Available | |
| Relevant identified uses of the substance or mixture and uses advised against | | |

Relevant identified uses POTASSIUM CHLORIDE INJECTION is indicated for the treatment of potassium depletion in patients with hypokalaemia; treatment of digitalis intoxication. IV administration is indicated when the patient is unable to take potassium orally or if hypokalemia is severe.

Details of the supplier of the safety data sheet

| Registered company name | Phebra |
|-------------------------|---|
| Address | 19 Orion Road Lane Cove West NSW 2066 Australia |
| Telephone | +61 2 9420 9199 1800 720 020 |
| Fax | +61 2 9420 9177 |
| Website | www.phebra.com |
| Email | info@phebra.com |

Emergency telephone number

| Association / Organisation | Not Available |
|-----------------------------------|-----------------|
| Emergency telephone numbers | +61 401 264 004 |
| Other emergency telephone numbers | N/A |

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

| Classification of the substance of inixture | | |
|---|----------------|--|
| Poisons Schedule | Not Applicable | |
| Classification | Not Applicable | |
| Label elements | | |
| Hazard pictogram(s) | Not Applicable | |
| SIGNAL WORD | NOT APPLICABLE | |

Hazard statement(s)

AUH066 Repeated exposure may cause skin dryness and cracking.

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|--------------------|
| 7447-40-7 | 22.3 | Potassium Chloride |
| 7732-18-5 | 77.7 | water |

SECTION 4 FIRST AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | None known. | | |
|-------------------------|--|--|--|
| Advice for firefighters | | | |
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. | | |
| Fire/Explosion Hazard | Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: , hydrogen chloride May emit poisonous fumes. | | |
| HAZCHEM | Not Applicable | | |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. |
|--------------|---|
| Major Spills | Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

| | Avoid all personal contact, including inhalation. |
|------------------------------|--|
| | Wear protective clothing when risk of exposure occurs. |
| | ► Use in a well-ventilated area. |
| Safe handling | Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. |
| | DO NOT allow material to contact humans, exposed food or food utensils. |
| | Avoid contact with incompatible materials. |
| | When handling, DO NOT eat, drink or smoke. |
| | ► Store in original containers. |
| | Keep containers securely sealed. |
| | No smoking, naked lights or ignition sources. |
| Other information | Store in a cool, dry, well-ventilated area. |
| | Store away from incompatible materials and foodstuff containers. |
| | Protect containers against physical damage and check regularly for leaks. |
| | Observe manufacturer's storage and handling recommendations contained within this SDS. |
| nditions for safe storage, i | including any incompatibilities |
| | Polyethylene or polypropylene container. |
| | |

| Storage incompatibility | None known |
|-------------------------|---|
| Suitable container | Polyemylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. Glass container is suitable for laboratory quantities |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | | TEEL-2 | TEEL-3 |
|-------------------------------|--------------------------------|-----------|-----------------------------|----------|-----------|
| Potassium Chloride | Potassium chloride | 7.8 mg/m3 | | 86 mg/m3 | 510 mg/m3 |
| | | | | | |
| Ingredient | Original IDLH | Re | evised | IDLH | |
| Ingredient Potassium Chloride | Original IDLH Not Available | | e vised ot Availa | | |

Exposure controls

| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. | |
|-------------------------------------|---|--|
| Personal protection | | |
| Eye and face protection | Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. (CDC NIOSH Current Intelligence Bulletin 59), IAS/NZS 1336 or national equivalent] | |
| Skin protection | See Hand protection below | |
| Hands/feet protection | The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. Suitability and durability of glove type is dependent on usage. | |

| | ▶ Wear chemical protective gloves, e.g. PVC. ▶ Wear safety footwear or safety gumboots, e.g. Rubber |
|------------------|---|
| Body protection | See Other protection below |
| Other protection | Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit. |
| Thermal hazards | Not Available |

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Potassium Chloride, 2.23g in 10mL, Concentrated Injection

| Material | CPI |
|----------------|-----|
| BUTYL | С |
| NATURAL RUBBER | С |
| NEOPRENE | С |
| PVA | С |
| VITON | С |

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

 $\ensuremath{\text{NOTE}}$ As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as

"feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

| Required minimum protection factor | Maximum gas/vapour concentration present in air p.p.m. (by volume) | Half-face Respirator | Full-Face Respirator |
|--|--|-------------------------|-------------------------|
| up to 10 | 1000 | -AUS / Class1 P2 | - |
| up to 50 | 1000 | - | -AUS / Class 1 P2 |
| up to 50 | 5000 | Airline * | - |
| up to 100 | 5000 | - | -2 P2 |
| up to 100 | 10000 | - | -3 P2 |
| 100+ | | | Airline** |

* - Continuous Flow ** - Continuous-flow or positive pressure demand

 $\begin{array}{l} \mbox{A(All classes)} = \mbox{Organic vapours, B AUS or B1} = \mbox{Acid gasses, B2} = \mbox{Acid gas or hydrogen cyanide(HCN), B3} = \mbox{Acid gas or hydrogen cyanide(HCN), E} = \mbox{Sulfur dioxide(SO2), G} = \mbox{Agricultural chemicals, K} = \mbox{Ammonia(NH3), Hg} = \mbox{Mercury, NO} = \mbox{Oxides of nitrogen, MB} = \mbox{Methyl bromide, AX} = \mbox{Low boiling point organic compounds(below 65 degC)} \end{array}$

| Appearance | Potassium Chloride Injection is a clear, colourless solution; mixes with water. Potassium Chloride Injection is an aqueous solution. | | |
|---|--|---|----------------|
| Physical state | Liquid | Relative density (Water = 1) | 1.133 approx. |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | 4.5-7.5 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |

Hazardous decomposition products

SECTION 11 TOXICOLOGICAL INFORMATION

See section 5

Information on toxicological effects

| Ŭ | | | | |
|---|--|---------------------------------------|---|--|
| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product | | | |
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Repeated exposure may cause skin cracking, flaking or drying following normal handling and use. Irritation and skin reactions are possible with sensitive skin Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. | | | |
| Eye | Although the liquid is not thought to be an irritant (as class characterised by tearing or conjunctival redness (as with | | vith the eye may produce transient discomfort | |
| Chronic | Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. | | | |
| | | | | |
| Potassium Chloride, 2.23g in | TOXICITY | IRRITATION | | |
| 10mL, Concentrated Injection | Not Available | Not Available | | |
| | TOXICITY | | ΤΙΟΝ | |
| Potassium Chloride | Oral (rat) LD50: 2600 mg/kg ^[2] | Eye (rabbit): 500 | mg/24h - mild | |
| | TOXICITY | | | |
| water | Not Available | Not Available | | |
| Legend: | 1. Value obtained from Europe ECHA Registered Substa data extracted from RTECS - Register of Toxic Effect of c | | from manufacturer's SDS. Unless otherwise specified | |
| | | | | |
| POTASSIUM CHLORIDE | The material may be irritating to the eye, with prolonged c conjunctivitis. | ontact causing inflammation. Repeated | or prolonged exposure to irritants may produce | |
| Potassium Chloride, 2.23g in 10mL, Concentrated Injection & WATER | No significant acute toxicological data identified in literature search. | | | |
| Acute Toxicity | Carcinogenicity | | 0 | |
| Skin Irritation/Corrosion | \odot | Reproductivity | \otimes | |
| Serious Eye Damage/Irritation | 0 | STOT - Single Exposure | 0 | |
| Respiratory or Skin sensitisation | 0 | STOT - Repeated Exposure | 0 | |
| Mutagenicity | \otimes | Aspiration Hazard | 0 | |
| | | | | |

Legend:

Data available but does not fill the criteria for classification
 Data available to make classification

S - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|--|------------------|--------------------|-------------------------------|------------------|------------------|
| Potassium Chloride, 2.23g in 10mL, Concentrated Injection | Not Available | Not Available | Not Available | Not Available | Not Available |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 29.8000mg/L | 4 |
| Potassium Chloride | EC50 | 48 | Crustacea | 83mg/L | 4 |
| | EC50 | 96 | Algae or other aquatic plants | 1337mg/L | 4 |
| | NOEC | 48 | Crustacea | 240.45mg/L | 4 |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| water | Not Available | Not Available | Not Available | Not Available | Not Available |

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|--------------------|-------------------------|------------------|
| Potassium Chloride | HIGH | HIGH |
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|--------------------|------------------------|
| Potassium Chloride | LOW (LogKOW = -0.4608) |
| water | LOW (LogKOW = -1.38) |

Mobility in soil

| Ingredient | Mobility |
|--------------------|------------------|
| Potassium Chloride | LOW (KOC = 14.3) |
| water | LOW (KOC = 14.3) |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

SECTION 14 TRANSPORT INFORMATION

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

| Source | Product name | Pollution Category | Ship Type |
|---|-----------------------------|--------------------|-----------|
| IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk | Potassium chloride solution | Z | 3 |

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM CHLORIDE(7447-40-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

| National Inventory | Status | |
|-------------------------------|--|--|
| Australia - AICS | Υ | |
| Canada - DSL | Υ | |
| Canada - NDSL | N (Potassium Chloride; water) | |
| China - IECSC | Υ | |
| Europe - EINEC / ELINCS / NLP | Y | |
| Japan - ENCS | Y | |
| Korea - KECI | Υ | |
| New Zealand - NZIoC | Y | |
| Philippines - PICCS | Υ | |
| USA - TSCA | Y | |
| Legend: | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) | |

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC — TWA: Permissible Concentration-Time Weighted Average PC — STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit, IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL : No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOX Limit Of Detection OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Phebra and the Phi symbol are trademarks of Phebra Pty Ltd, 19 Orion Road, Lane Cove West, Australia.